Office Container- Design Notes

General:

Container size:6000x2438mm, height 2591mm, interior clear height 2330mm. Total 30pcs of 20ft

containers. Load details:

wind load: 210km/h snow load 1.00kN/m² floor liv

floor live load 2.50kN/m²


Materials specification:


- 1. Container frame: Q355 steel, surface treated hot dip galvanization100g/m2+ powder coating.
- 2. Roof panel: 70mmPU injected insulation, PU density 45kg/m3, external side 0.45mm steel sheet (RAL9003), internal side 0.40mm steel sheet, (RAL9003).
- 3. Wall panel: 50mm or 75mmEPS sandwich panel, EPS density 12kg/m3, two sides 0.40mm steel sheet, external side (RAL9003)with rib, internal side(RAL9003).
- 4. Flooring: 1.8mmPVC floor+18mm fiber cement board. 2.5mm anti-slip PVC floor for bathroom.
- 5. Door: D1:960x2080mm steel door D2:880x2050mm steel door D3:800*2000mm aluminum bi-folding door
- 6. Window: W1, 980x1150mmPVC single glazed sliding window (with fly screen) W2, 600*600mm top hung window W3,850x600mmPVC single glazed sliding window (with fly screen)
- 7. Electricity: 30w LED light (L=1200mm), switch, 10A socket, 1xdistribution panel (1x4P32A main circuit-breaker (with leakage protection), 1x1P lighting loop, 1x1P socket loop) 3 1x32A 3class outdoor waterproof socket. ETC. 110V
- 8. Bathroom


Options:


- 1. Insulation of wall panel PU (density 40kg/m³) \(\tag{rock wool (density120kg/m³)}
- 2. Container frame color: white, red, blue, grey.
- 3. Electricity: A/C, radiator, water heater, data etc.
- 4. Window: double glazed, roller shutter, casement window, fixed window.
- 5. Customization can be negotiated.
- 6. Loading and packing will be changed if add or change the standard materials.


SNAPINS office building




















Copyright 20	16.			
Rev.	Description		Date	who send
5	SN	AF	חוי	N E
	CAE	311/	5	
Cooperative Designer				

Process	Signature	Date
Authorized By		
Verified By		
Process		
Checked By		
Designed By		
Drawn By		
Engineer Signature		
Engineer Signature		

Project Name			
Title			
Title		Title	
Scale		Dwg.No.	
This drawin	ig is valid only after being	g stamped a	nd released by the R&D



Copyright 20	16.	
Rev.	Description	Date who send
6	SNA	PINS NS
Cooperative Designer		
Process	Signature	Date
Authorized By	Signature	Date
Authorized By Verified By	Signature	Date
Authorized By Verified By Process	Signature	Date
Authorized By Verified By	Signature	Date
Authorized By Verified By Process Checked By	Signature	Date
Authorized By Verified By Process Checked By Designed By	Signature	Date
Authorized By Verified By Process Checked By Designed By Drawn By	Signature	Date
Authorized By Verified By Process Checked By Designed By Drawn By	Signature	Date
Authorized By Verified By Process Checked By Designed By Drawn By	Signature	Date
Authorized By Verified By Process Checked By Designed By Drawn By Engineer Signature	Signature	Date
Authorized By Verified By Process Checked By Designed By Drawn By Engineer Signature	Signature	Date
Authorized By Verified By Process Checked By Designed By Drawn By Engineer Signature	Signature	Date
Authorized By Verified By Process Checked By Designed By Drawn By Engineer Signature	Signature	Date
Authorized By Verified By Process Checked By Designed By Drawn By Engineer Signature	Signature	Date
Authorized By Verified By Process Checked By Designed By Drawn By Engineer Signature Froject Name		Date
Authorized By Verified By Process Checked By Designed By Drawn By Engineer Signature Engineer Signature	Signature Tife Dusg No.	Date

